

Supplementary Table 8. Standardized mean differences with 95% confidence intervals from the network meta-analysis of hypotension

Placebo	0.0256 (0.0012-0.5328)	1.167 (0.393-3.467)	1.728 (0.385-7.757)	1.000 (0.019-52.092)
0.413 (0.058-2.919)/P=0.071	Beta-blocker	NA	2.322 (0.586-9.196)	0.133 (0.007-2.658)
1.781 (0.295-10.756)/P=0.524	4.314 (0.429-3.411)/NA	Clonidine	6.739 (1.346-33.754)	NA
0.455 (0.096-2.155)/P=0.057	1.103 (0.243-5.006)/P=0.036	0.256 (0.039-1.676)/P=0.524	Dexmedetomidine	0.751 (0.189-2.981)
0.791 (0.110-5.686)/P=0.907	1.916 (0.297-12.365)/P=0.378	0.444 (0.045-4.344)/NA	1.737 (0.436-6.916)/P=0.340	Opioid

Treatments are reported in alphabetical order. The results of direct comparisons are shown in the upper triangle, and the network meta-analysis results and local inconsistencies are shown in the lower triangle. For both, the estimates were obtained based on comparisons of the row-indicated treatments with the column-indicated treatments. NA, not available.